



公差/General tolerances (mm)													D	
0	>3	>6	>10	>18	>30	>50	>80	>120	>180	>250	>315	>400	>500	0.1/10
~	~	~	~	~	~	~	~	~	~	~	~	~	~	~
±0.12	±0.18	±0.22	±0.26	±0.31	±0.37	±0.57	±0.80	±0.93	±1.05	±1.15	±1.60	±2.20	±2.50	±2

Transfer or duplication of this document as well as the utilization of its contents without the written consent of the manufacturer is prohibited. All rights reserved for patent. 本文件及其中所载之资料，其内容如有更改，恕不另行通知。 未经授权复制或转载本文件，本公司保留法律追究权利。 本文件如有更改，恕不另行通知。

Note:
The A&Z(H) in the name means: A(H) and Z(H).

ITEM	NAME OF PART	MATERIAL	NOTES
3	Nut	Steel	M3/Zn Plated
2	Copper	Copper	Sn Plated
1	Housing	PBT	UL94V-0

UL 标准/UL Standard:	B	C	D
额定电压/电压/Rated Voltage(V)/Current(A)	300/30	300/30	300/10
IEC 标准/IEC Standard:			
过压类别/Overvoltage Category/污染等级/Pollution Degree	III/3	III/2	II/2
额定电压/电压/Rated Voltage(V)/Current(A)	/	400/32	/
额定脉冲电压(KV)/Rate Impulse Voltage(KV)	/	4	/
间距/Pitch(mm)/线数范围/Poles	7.62/N=02~12P		
使用温度范围/Operating temperature(°C)	-30~+120		
符合RoHS环保要求/Conform to RoHS	Yes		

DIIGSON		MATERIAL:	SURFACE/COLOR:	
APPD: 兰泰华	2022.11.11	MAT NO./REV: -/00	MAT STATUS: 批量	
CHKD: 黄耀志	2022.11.10	NAME: 5EDGVM-7.62-XXP-1Y-00A&Z(H)		
DRAFT: 周锦德	2022.11.10	DRAWING NO.:	TYPE:	DRAWING STATUS:
REV: 00	ECN:	200021189	CUSTOMER DRAWING	已发布
DRFT: 周锦德	DATE: 2022.11.10	SCALE:	1:1	SHEET: 1/1

REV	ECN	DESCRIPTION	DRFT	DATE
00			周锦德	2022.11.10