


未注公差/General tolerances (mm)													0.1/10 ±2'
0	>3	>6	>10	>18	>30	>50	>80	>120	>180	>250	>315	>400	
~3	~6	~10	~18	~30	~50	~80	~120	~180	~250	~315	~400	~500	
±0.12	±0.18	±0.22	±0.26	±0.31	±0.37	±0.57	±0.80	±0.93	±1.05	±1.15	±1.60	±2.20	±2.50

UL 标准/UL Standard	B	C	D
额定电压/电流/Rated Voltage(V)/Current(A)	300/20	300/20	600/5
IEC 标准/IEC Standard			
过压类别/Overtoltage Category/污染等级/Pollution Degree	III/3	III/2	II/2
额定电压/电流/Rated Voltage(V)/Current(A)	500/24	/	/
额定脉冲电压(KV)/Rate Impulse Voltage(KV)	6	/	/
螺丝扭矩/Torque Tightening(N·m/Lb.in)	/		
线径范围(硬线和软线)/Wire Range(rigid and flexible)(AWG mm²)	/		
间距/Pitch(mm)/线数范围/Poles	5.2/01P		
剥线长度/Stripping length(mm)	/		
使用温度范围/Operating temperature(°C)	-40~ +105		
符合 RoHS 环保要求/Conform to RoHS	Yes		
标准颜色编号/Standard color number: PANTONE/ RAL	/		

A
3:1



ITEM	NAME OF PART	MATERIAL	NOTES
2	Current carrier	Copper	Sn Plated
1	Housing	PA66	UL94V-0

DEGSON		MATERIAL:	SURFACE/COLOR:
APPD: Li GL	2022.11.11	MAT NO./REV: /	MAT STATUS: 批量
CHKD: Ma EK	2022.11.11	NAME	
DRFT: Ceng QF	2022.11.11	DS2.5/2P-01P-1Y-00Z(H)	
DRAWING NO. 200120058	TYPE CUSTOMER DRAWING	DRAWING STATUS work	SCALE 2:1 SHEET 1/1

REV	ECN	DESCRIPTION	DRFT	DATE
00		New Drawing	Ceng QF	2022.11.11

Transfer or duplication of this document as well as the utilization or communication of its contents are prohibited unless authorized in advance. Violations will be treated as patent infringement. All rights reserved for patent. 除专利注明限制外，未经许可，全部或部分复制、发布、引用、更改本文件的内容均属于侵权行为。未经事先许可，禁止复制或传播本文件。本公司保留对涉及发明、实用新型和外观设计的所有权利。